STIGA®

Garden Range 2013

STIGA®

Our task is to give you the best lawn in the neighbourhood. But also time to enjoy it!

Therefore, we continue to combine innovative technology with excellent engineering and modern Nordic design, with the aim to reduce the burden on people and the environment.

4 OUR RANGE

STIGA

MOWERS

6 That's Multiclip

Front mowers

10 Park
14 Park Mirage
16 Villa
20 Combi deck
22 Implements

Lawn tractors

28 Estate
32 Garden

Lawn mowers

36 Multiclip
38 Excel
40 Turbo/Combi

HAND HELDS

44 Brush cutters
45 Hedge trimmers

GARDEN CARE

46 Cultivator
46 Silex Garden Tractor

48 Technical specifications

OUR RANGE

LAWN MOWERS

Best results with minimal effort is Stiga's motto. Therefore, all machines are equipped with Multiclip, some in combination with other cutting systems. Genuine articulated steering and front mounted deck together with 4WD, give excellent manoeuvrability. Low noise levels and anti-vibration handles are typical professional properties of our mowers. Excellent performance, low fuel consumption and low emissions are standard on all our machines.

Park Pro *page* **10**

A strong and versatile all-year-round machine. With four wheel drive, power assisted steering, electric cutting height adjustment and a range of other professional properties.

Park *page* **13**

The garden's handyman. Masters everything from grass and leaves to sand, gravel and snow. Suitable for large areas. Genuine articulated steering and up to 110 cm cutting width with front mounted deck. Many implements, easy to change.

Villa *page* **16**

A smaller front mower model for medium sized gardens. Cuts grass, sweeps the street, clears snow. Flexible and easy to operate. Outstanding cutting results. Excellent visibility. Up to 105 cm working width.

HAND HELDS

See how easy it is to use! Start and note how efficiently the job gets done. Our hand held range includes brush cutters and hedge trimmers to suit most gardens. Easy to start – flexible to use – with minimal maintenance.

Brush cutters *page* **44**

Hedge trimmers *page* **45**

PERFECT RESULTS

FULL CONTROL

ENVIRONMENT

TOP PERFORMANCE

Estate *page* **28**

Efficient and effective lawn tractor for those who prioritise collection. Unbeatable when it comes to technology, capacity and cutting quality. For all-year-round use thanks to the sweeper and snow blade (option). Excellent on large areas. Choose between hydrostatic and manual transmission.

Garden *page* **32**

Smart and versatile lawn tractor for home use. Instead of having to walk and mow. Integrated collection, easy to empty. Unites Multiclip and rear discharge for best cutting results. Up to 72 cm cutting width.

Multiclip *page* **36**

The modern way of caring for your lawn. Cuts and fertilises in one go, quickly and efficiently, with Stiga's Multiclip cutting method. Extremely easy and versatile as collection is not necessary.

Excel *page* **38**

The professional's choice, designed for maximum efficiency and comfort in the most varied conditions. Best in class with four cutting systems and the market's largest collector.

Turbo/ Combi *page* **40**

Turbo, the best choice if you want to "vacuum" the lawn of cuttings. Three cutting method options – collector, Multiclip and rear discharge – for optimum cutting result.
Combi, light and smooth lawn mower offering superb value for money.

GARDEN CARE

Let Stiga help with the hard work in your garden. A scarifier will keep your lawn in tip top condition. The Silex garden tractor is a versatile tool in any garden plot. A wide range of accessories are also available.

Cultivator *page* **46**

Silex Garden Tractor *page* **46**

The secret behind Stiga's excellent cutting result is called

MULTICLIP

The blades of grass are cut into small particles which are blown deep into the turf. There they quickly mulch down and are transformed into the most natural organic nutrients a lawn can get! The result is a green and attractive lawn.



Save time and money

You don't need to collect and transport or compost any grass clippings. And the job gets done faster.

Less fuel and emissions

Fuel consumption and emissions are reduced – good for the wallet and planet.

Noise damping

Thanks to the specially designed blades and the enclosed cover, the noise is directed towards the ground, which produces a lower and more comfortable noise level than normal collection machines.

Manage leaves as well

With Multiclip the same thing can be done in the autumn when the leaves fall – magic them away with a few cuts.

Less watering

The finely cut clippings form a thin, moisture rich layer on the lawn. This supplies the grass roots with moisture and more time can pass between waterings.

FRONT MOWERS

The clever, professional way of cutting grass. With the front mounted deck, you can always see what you are doing. Fast and convenient in that you fertilise the lawn and avoid waste. With an implement program that makes the season long.



Genuine articulated steering

Characteristics of the Park models. The rear wheels follow in the tracks of the front wheels precisely. This means you can cut closely to bushes and hedges, fences and facades without hitting the rear section.

All-terrain with 4WD

Four wheel drive gives the best grip in extreme conditions. You can climb wet slopes unhindered, stop and start again, without slipping and causing damage to the turf. Snow is no problem.



Unobstructed view

You sit high up, above the point where the machine articulates, with the deck in front of you. Comfortable with excellent visibility and good working view.

Easy to use

Sit comfortably. Push the starter button or turn the key. Activate the cutting deck. Accelerate and steer. Could it be any easier?



Implements for all-year-round work

A wide range of implements makes the Front mower a flexible all-year-round machine. Once the grass has been cut, it collects leaves, sweeps the street, clears snow or whatever you want (see page 22).

Easy to maintain

First, you have the normal product warranty. And then we guarantee that original parts are available for seven to ten years. When the dealer you bought the machine from services it, only original parts will be used - that's what makes it so safe and secure to own a Stiga.

More about the Front mower

See the entire product program including implements and technical specifications on our website.

www.stigalawnmowers.co.uk

PARK

The secret of Park is genuine articulated steering. You sit high up, above the point where the machine articulates and can see the cutting deck, or brush, plough or snow thrower, in front of you. The rear wheels follow the front wheel tracks precisely, which makes it easy to drive between bushes and trees. You have full control in all situations.

Comfortable seat, clear instrumentation.

The front mounted Combi deck with up to 125 cm cutting width whizzes through the work.

Easy to operate with hydraulic tool lift. Four positions: lift, neutral, lower and floating position.


Lift for service position
The deck can be raised to 90 degrees.
Hydraulic power assisted steering
Adjustable steering wheel
With power assisted steering.
Hydraulic tool lift
Four positions: lift, neutral, lower and floating position.
Genuine articulated steering
Thanks to genuine articulated steering the rear of the vehicle follows in the front wheels' tracks. Look ahead, the rear of the vehicle will not bump into anything.
Lift for washing position
Approx. 30 degrees, without removing the belt.
Transparent tank
You can easily see how much fuel is left.
Pivot wheels
Make the machine easier to steer.
Hydrostatic drive
Stepless speed control both forward and reverse.
Hydraulic transmission
Both front and rear axles.
Combi deck
Shift between Multiclip and rear discharge without having to use tools.
Quick connection
Switch easily between different implements.
Powerful engines
Provide quieter operation and longer service life.

RAC quick connection enables you to change implements in one simple operation, without the use of any tools. All you need to do is hook on and off.
RAC is standard on all Park models and available for all Villa models.

Excellent traction

With 4WD you can climb and descend wet slopes without slipping and causing damage to the turf. Articulated steering saves you from having to manoeuvre backwards and forwards continuously. Hydrostatic transmission, cruise control (option) and power assisted steering are other refinements.

One machine – many functions

Park has more areas of use than there are seasons. It cuts grass, rakes leaves, carries tools, ploughs, sweeps, grits and fertilises, rakes gravel paths and clears weeds – or whatever you want.

Flexible and easy to use

With hydraulic implement lift, hydraulic power assisted steering and electric cutting height adjustment you can work long shifts. Ergonomic comfortable seat with armrest and intuitive instrument panel gives unsurpassed driver comfort.

Most suitable for:

Stiga Park

All-terrain, strong and versatile all-year-round machine. With four wheel drive, power assisted steering, electric cutting height adjustment and a range of other professional properties as standard for most machines.

Park Pro 25 4WD

Park Compact 16 4WD

Park Plus

	Park Pro 25 4WD	*Park Pro 21 4WD*	*Park Pro 16 4WD*	*Park Residence 4WD*
Engine:	*Honda GXV 660 Twin cylinder*	*Briggs & Stratton Vanguard 21 Twin cylinder*	*Briggs & Stratton Vanguard 16 Twin cylinder*	*Briggs & Stratton Powerbuilt 4155 AVS*
Transmission:	*Hydrostatic*	*Hydrostatic*	*Hydrostatic*	*Hydrostatic*
Steering:	*Genuine articulated steering Hydraulic power assisted steering*	*Genuine articulated steering Hydraulic power assisted steering*	*Genuine articulated steering Hydraulic power assisted steering*	*Genuine articulated steering Hydraulic power assisted steering*
Implement lift:	*Hydraulic*	*Hydraulic*	*Mechanical*	*Mechanical*
Cutting deck width:	*95-125 cm, electric cutting height adjustment**	*95-125 cm, electric cutting height adjustment**	*95-125 cm, electric cutting height adjustment**	*95-110 cm, electric cutting height adjustment**

	Park Royal 4WD	*Park Ranger HST Svan*	*Park Plus*
Engine:	*Honda GCV 530 Twin cylinder*	*Honda GCV 530 Twin cylinder*	*Briggs & Stratton Intek 4185*
Transmission:	*Hydrostatic*	*Hydrostatic*	*Hydrostatic*
Steering:	*Genuine articulated steering Hydraulic power assisted steering*	*Genuine articulated steering Hydraulic power assisted steering*	*Genuine articulated steering Mechanical power assisted steering*
Implement lift:	*Mechanical*	*Mechanical*	*Mechanical*
Cutting deck width:	*95-110 cm, electric cutting height adjustment**	*95-110 cm, electric cutting height adjustment**	*95-110 cm, electric cutting height adjustment**

	Park Compact 16 4WD	*Park Compact 16 HST*	*Park Compact 14 HST*
Engine:	*Briggs & Stratton PowerBuilt 4155 AVS*	*Briggs & Stratton PowerBuilt 4155 AVS*	*Briggs & Stratton PowerBuilt 3130 AVS*
Transmission:	*Hydrostatic*	*Hydrostatic*	*Hydrostatic*
Steering:	*Genuine articulated steering Mechanical power assisted steering*	*Genuine articulated steering Mechanical power assisted steering*	*Genuine articulated steering Mechanical power assisted steering*
Implement lift:	*Mechanical*	*Mechanical*	*Mechanical*
Cutting deck width:	*95-105 cm*	*95-105 cm*	*95-105 cm*

Meets the criteria of the official Nordic Svan eco-label, which is considered one of the world's toughest environmental criteria.

** Dependent on deck selected*

PARK MIRAGE

Another Stiga innovation. The electrically powered front mower raises hope for our environment. Unique among front mowers in that it does not emit any carbon dioxide. Manages up to 3500 m² of lawn on one charge with perfect results.

At last! A battery powered front mower.

Intuitive dashboard communicates with the driver.

75 minutes of work from one charge.

Ultra Quiet

When you press the starter button, you can hardly hear the motor When you first activate the cutting deck, you can make out a whirring sound. Compared with an ordinary mower the difference is significant.

Immediate response

Yet it is designed for hard work with a powerful engine, which can even tackle muddy grass slopes. Well suited for large work areas and rough terrain, The powerful cutting deck has a 5000W brushless motor which leaves a fantastic cutting result under all conditions. The transmission has an integrated electric motor of 1200W and is equipped with an automatic parking brake.

Unbeatable environmentally

No carbon dioxide emissions. Negligible ecological footprint. Minimal load on people and environment. One charge corresponds to up to 60 +/- 15 minutes work. Each time you slow down the machine or stop the cutting deck energy is charged back to the batteries in order to extend the capacity. The charging unit is integrated in the machine.

	Park Mirage 5.0
Power source/output:	*Battery, 48V*
Transmission:	*Electric*
Steering:	*Genuine articulated steering*
Implement lift:	*Mechanical*
Cutting deck width:	*95 cm, electric cutting height adjustment*

VILLA

Flexible all-round machine that sweeps streets, collects leaves and clears snow after cutting the grass. Uniting the professional front mounted ride-on's excellent cutting characteristics with the small ride-on's versatility. Choose between electric or mechanical control.

Hydrostatic transmission for smoother speed control.

Easy steering thanks to the steering knob.

Combi deck with 85-105 cm cutting width.

Service position
The deck can be raised to 90 degrees.
Adjustable steering wheel with steering ball
Easily adjustable for optimum ergonomics.
Tilting seat
Easy to open the bonnet
Service-friendly.
Washing position
Can be lifted approx. 30 degrees, without removing the belt.
Hydrostatic drive
Stepless speed control both forward and reverse.
Front wheel drive
Easy to steer.
Optional quick connection
To quickly switch between different implements.
Transparent tank
You can easily see how much fuel is left.

Comfortable and flexible

With foot operated implement lift as standard and manual or stepless (hydrostatic) transmission. Adjustable steering wheel with easy-to-grip steering ball, ergonomically positioned controls and adjustable comfortable seat with high back make for great operator comfort.

Outstanding cutting results

Switch between Multiclip and rear discharge and give yourself an attractive lawn with minimum effort. Two blade Combi deck with up to 105 cm working width.

Good view

A high seating position gives you full control over the front mounted cutting deck, which can reach under bushes and get close to house facades and fences.

Service and washing friendly design.
It is rarely use or age that breaks a front mower. More usually corrosion and poor maintenance. To gain access to rinse clean, lift the deck 30° to the cleaning position. Regular cleaning prevents the deterioration of the mower's function.

Most suitable for:

Stiga Villa

A smaller front mower model, for medium sized gardens. Cuts grass, sweeps the street, clears snow. Flexible and easy to operate. Outstanding cutting results. Good view. Up to 105 cm working width.

Implements for all-year-round work

Thanks to the unique quick connection, RAC, it is easy to change implements on a Villa. Here you can see some of the implements that enable you to use your Front mower all-year-round. Read more on page 22.

Towed sweeper collector

Combi cart

Pro cart

Broadcast spreader

Rotary brush

Ballast roller

Snow blade

Snow chains

Villa 14 HST

Villa 12

	Villa SQ16 HST	***Villa 14 HST***	***Villa 12***
Engine:	*Honda GXV 390*	*Briggs & Stratton PowerBuilt 3130 AVS*	*Briggs & Stratton PowerBuilt 3115 AVS*
Transmission:	*Hydrostatic*	*Hydrostatic*	*Manual, 5F+1R*
Steering:	*Rear wheel steering*	*Rear wheel steering*	*Rear wheel steering*
Implement lift:	*Mechanical*	*Mechanical*	*Mechanical*
Cutting deck width:	*85-105 cm, electric cutting height adjustment**	*85-95 cm*	*85 cm*

** Dependent on deck selected*

Villa 520 HST

Villa 320 HST

	Villa 520 HST	***Villa 320 HST***
Engine:	*Briggs & Stratton Powerbuilt 3115 AVS*	*Stiga WM 7250 Series*
Transmission:	*Hydrostatic*	*Hydrostatic*
Steering:	*Rear wheel steering*	*Rear wheel steering*
Implement lift:	*Mechanical*	*Mechanical*
Cutting deck width:	*90 cm*	*78 cm*

** Dependent on deck selected*

COMBI DECK

Do as the pros do – choose the best cutting method for the situation.

Stiga's Combi deck gives you two mowing techniques in one. Use Multiclip for fine cutting. If the grass has grown quite long, rear discharge may be preferable. The Combi deck is available in working widths from 85 to 125 cm for Villa and Park, aerodynamically shaped with two or three blades for the best Multiclip effect.


Lifting handle facilitates raising into cleaning position.
Reinforced protective frame.
Pivot wheels with ball bearings with robust plastic wear surfaces.
Reinforced bearing boxes.
Aerodynamically shaped cover with three unsynchronised blades for the best cutting results.
Mow closer: The blades are near the chassis edge and give a minimal uncut area.
Replaceable wear plates.
Guide rails to distribute the cut grass evenly.
Combi-plug for tool free shifting between Multiclip and rear discharge.
The deck can be raised 30° for cleaning without having to remove the belt (only Park 4WD).
Rubber strip to guide the grass during rear discharge function.
Freely rotating blades.

Service and washing friendly design. The Combi deck can be raised 30° for cleaning without removing the belt.

Front mounted cutting deck goes anywhere. Note the reinforced frame that protects against knocks and also acts as a lifting handle.

Good view. Genuine articulated steering and front mounted tools give maximum manoeuvrability in changing conditions, all-year-round.

125 Combi Pro

A wide and powerful deck for Park Pro. Cutting width 125 cm. Three freely rotating blades. Suitable for cutting long grass quickly with rear discharge. Switch between Multiclip and rear discharge without having to use tools. Pivot wheels make it easier to turn. Robust manual or infinitely variable electric cutting height adjustment.

110 Combi Pro

Cutting deck in Pro version for Park and Park Pro. Cutting width 110 cm. Suitable for those wanting to cut long grass quickly with rear discharge. Switch between Multiclip and rear discharge without having to use tools. Pivot wheels make it easier to turn. Robust manual or infinitely variable electric cutting height adjustment.

100 Combi 3

Semi-professional Combi deck with three unsynchronised blades for the best cutting results. Same technology used as for our professional deck, but slightly smaller with a 100 cm cutting width. The cutting height can be adjusted manually or electrically depending on the machine model. Suitable for selected models of Park.

105 Combi

Deck for Park and Villa. Cutting width 105 cm. Two synchronised blades with replaceable blade tips. Central cutting height adjustment electrically or manually controlled.

95 Combi

Deck for Park and Villa. Cutting width 95 cm. Two synchronised blades with replaceable blade tips. Manual or continuous electric cutting height adjustment.

85 Combi

Neat and smooth deck for Stiga Villa. Cutting width 85 cm. Two synchronised blades with replaceable blade tips. Manual cutting height adjustment.

IMPLEMENTS

The beauty of Stiga's front mowers is that they never take a holiday – they can be used all-year-round. As a snow clearer, sand spreader, street sweeper or whatever you want! The implement range is one of the broadest on the market. Thanks to the unique quick connection, RAC, it is possible to change tools in a minute.
NOTE! Some tools also fit Estate lawn tractors.

Secure the accessory hook

Move the lever arm up using your foot

Lock the arm in the correct position

Secure the lock using a split pin

Enables you to change implements in one simple operation, without the use of any tools! Just click on and off. RAC is standard on all Park models and available for all Villa models.

Snow blade with up to 120 cm working width.

Park in action. Sweeper available for Villa and Estate as well.

Tool Carrier to hold garden tools, extra clothes, etc.

Towed sweeper collector

Towed, with a 8,5:1 wheel-to-brush rotation. 107 cm working width. Easy to empty from the driver's position. Heavy-duty bag frame. Also available with a 96 cm working width, and a wheel-to-brush rotation of 5:1.

Suitable for selected models of:
[X] ***Park*** [X] ***Villa*** [X] ***Estate***



Rear rake 100/130

For gravel paths. Choose between a 130 cm working width for neat patterns (for 10-20 mm stones) or the 100 cm one that is excellent for weeding (for 2-10 mm stones). Rear implement lift required.

Suitable for selected models of:
[X] ***Park*** [ ] ***Villa*** [ ] ***Estate***

Spring tine hoe

For truly effective weed control work. Pull up weeds from the roots, the depth can be easily adapted via three screw controls. Ideal for combining with a rear mounted rake. Working width 95 cm.

Suitable for selected models of:
[X] ***Park*** [ ] ***Villa*** [ ] ***Estate***

Rotary brush

Front mounted with lateral adjustment to three positions. The wheel system allows the operator to find just the right amount of ground pressure for every task. Sweeps leaves, snow, gravel and last year's grass with a neat and clean result. 95 and 85 cm for Park, 85 cm for Villa and 110 cm for Estate. Dust protection available as an option.

Suitable for selected models of:
[X] ***Park*** [X] ***Villa*** [X] ***Estate***

Sweeper collector

For removing gravel, dirt and rubbish from hard surfaces such as asphalt and concrete. The 90 cm working width and 32 cm brush diameter are easy to adjust to achieve the best possible result. The removable collector has a volume of 59 litres with a maximum 15 kilos and is very easy to empty. The side brush is an excellent accessory for this sweeper since it gets in close to walls and pavements.

Suitable for selected models of:
[X] ***Park*** [X] ***Villa*** [X] ***Estate***

Flail mower / lawn rake

Operates at 3000 rpm, has a 92 cm working width and electric height adjustment. Also available with mechanical height adjustment. Cuts rough grass and weeds up to 100 cm tall. Scrub and overgrown areas are easily controlled by the flail mower. An optional lawn rake rotor is also available.

Suitable for selected models of:
[X] ***Park*** [ ] ***Villa*** [ ] ***Estate***

Lawn edger

To be mounted together with a cutting deck. Adjustable angle depth of cut.

Suitable for selected models of:

[X] **Park** [ ] **Villa** [ ] **Estate**

Pro cart

Stable professional cart made of galvanized steel with Stiga Park wheel. Detachable cover at the rear and good tipping angle. Holds 240 litres. Load capacity up to 200 kg.

Suitable for selected models of:

[X] **Park** [X] **Villa** [X] **Estate**

Protective cover

Keep your Stiga under wraps with this handy protective cover.

Suitable for selected models of:

[X] **Park** [X] **Villa** [X] **Estate**

Snow blower (1-stage)

Now with improved torque. The auger collects and blows the snow out in one go. Adjustable trailer shoes. Perfect for pavements, hard paths and drives. Working width 90 cm.

Suitable for selected models of:

[X] **Park** [ ] **Villa** [ ] **Estate**

Snow chains

With crossed, spiked links that provide grip, even on icy surfaces. Available in several sizes.

Suitable for selected models of:

[X] **Park** [X] **Villa** [X] **Estate**

Ballast roller

When ballasted with water, the roller will level out the ground and flatten the lawn. Light weight when storing.

Suitable for selected models of:

[X] **Park** [X] **Villa** [X] **Estate**

Combi cart

Multi-purpose cart which hitches to the tow bar and can also be used as a wheelbarrow, 180 litres capacity. Body is manufactured from polymer giving a low overall weight.

Suitable for selected models of:

[X] **Park** [X] **Villa** [X] **Estate**

Aerator Spreader

Keep your lawn in peak condition with this accessory. Hardened steel tines penetrate the soil allowing air, nutrients and moisture to reach the grass roots. Sand, seed or fertiliser can also be applied at the same time.

Suitable for selected models of:

[X] **Park** [X] **Villa** [X] **Estate**

Snow blower (2-stage)

The auger collects the snow and blows it out via a fan housing to where you want to deposit it – up to 12 m away from the discharge chute. Electrically adjustable discharge chute to carry out safe and controlled work. Working width 90 cm.

Suitable for selected models of:

[X] **Park** [ ] **Villa** [ ] **Estate**

Tool Carrier

Practical holder for useful objects such as tool boxes, extra containers, lunch boxes, items of clothing etc. Holds loads up to 10 kg. With mountings for broom, rake and other garden tools. Rubber straps included.

Suitable for selected models of:

[X] **Park** [ ] **Villa** [ ] **Estate**

Broadcast spreader

Towed with a 30 litre capacity, spreading diameter of 2.5-3 metres.

Suitable for selected models of:

[X] [X] **Villa** [X] **Estate**

Painted cart

This cart is an invaluable tool when you are dealing with all those heavy chores in your garden. It has a 10 cubic feet capacity steel body which tips for easy unloading. It hitches onto the tractor using a standard towbar fitting.

Suitable for selected models of:

[X] **Park** [X] **Villa** [X] **Estate**

Fertiliser and sand spreader

Perfect for gravel, sand or salt. Now with more outlets for a more even result. Rear mounted, it is controlled electrically from the control panel. Working width 100 cm.

Suitable for selected models of:

[X] **Park** [ ] **Villa** [ ] **Estate**

Snow blade

Controlled from the driving seat. The blade has skid shoes as well as an automatic control to prevent overloading. Rubber scraper bar for brick is available as optional extra. Working width 107 or 120 cm.

Suitable for selected models of:

[X] **Park** [X] **Villa** [X] **Estate**

Frame weights

Improve balance and provide ultimate traction to the mower, 2x17 kg for Park and 2x13.5 kg for Villa.

Suitable for selected models of:

[X] **Park** [X] **Villa** [ ] **Estate**

	Park Pro 25 4WD	Park Pro 21 4WD	Park Pro 16 4WD	Park Residence 4WD	Park Royal 4WD	Park Ranger HST Svan	Park Plus	Park Compact 16 4WD	Park Compact 16 HST	Park Compact 14 HST	Park Mirage 5.0	Villa 520 HST	Villa 320 HST	Villa SQ 16 HST	Villa 14 HST	Villa 12	Estate Grand Royal 22	Estate Royal 19	Estate Grand Tornado HST	Estate Tornado 14	Estate Senator 17 HST	Estate Senator 14	Estate Master HST	Estate Master	Garden SR 63EV	Garden Compact E HST B	Garden Combi HST 14
Snow blower Park* 2-stage	X	X	X																								
Snow blower Park 1-stage	X	X	X	X	X	X	X																				
Snow thrower Estate**																	X	X	X	X	X	X	X	X	X	X	X
Rotary Brush	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Snow blade Villa												X	X	X	X	X											
Snow blade Park 120 cm	X	X	X	X	X	X	X	X	X	X																	
Snow blade, Estate																	X	X	X	X	X	X	X	X			
Snow chain 18"																	X	X	X	X	X	X	X	X			
Snow chain 17"	X	X	X																								
Snow chain 16" wide				X	X	X	X	X	X																		
Snow chain 16"										X	X			X	X	X											
Sweeper collector	X	X	X	X	X	X	X	X	X	X				X	X	X											
Side brush for sweeper collector	X	X	X	X	X	X	X	X	X	X				X	X	X											
Snow blade scraper rubber - Villa												X	X	X	X	X											
Snow blade scraper rubber - 120 cm	X	X	X	X	X	X	X	X	X	X							X	X			X	X					
Towed sweeper collector 38"	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X			X	X							
Towed sweeper collector 42"	X	X	X	X	X	X	X	X	X	X	X								X	X							
Dust guard sweeper Park, Villa, Estate	X	X	X	X	X	X	X	X	X	X				X	X	X	X	X									
Combi cart	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Painted cart	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Pro cart, galvanized	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Protective cover	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Aerator spreader	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Broadcast spreader	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Ballast roller	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Flail mower	X	X	X	X	X	X	X																				
Lawn edger	X	X	X	X	X	X	X	X	X	X																	
Lawn rake	X	X	X	X	X	X	X																				
Fertiliser & sand spreader Park	X	X	X																								
Rear rake tool 100 cm	X	X	X	X	X	X	X	X	X	X																	
Rear rake tool 130 cm	X	X	X	X	X	X	X	X	X	X																	
Rear tool lift, electric	X	X	X																								
Rear tool lift, manual	X	X	X	X	X	X	X	X	X	X																	
Spring tine hoe	X	X	X	X	X	X	X	X	X	X																	
Tool Carrier	X	X	X																								
Deflector Estate, Garden																	X	X			X	X	X	X	X	X	X
Tow bar Estate																	X	X		X	X	X	X	X			
Cruise control kit	X	X	X																								
Frame weight 2 X 17 kg Park				X	X	X	X	X	X	X	X																
Frame weight 2 X 13.5 kg Villa														X	X	X											
Main power switch	X	X	X																								
PTO kit Estate																	X	X	X	X	X	X	X	X			
RAC quick connection, complete	X	X	X	X	X	X	X	X	X	X		X	X	X	X	X											

* 2-stage snow thrower will always be fitted on year Park model 2007/08 and later.
** PTO kit required.

LAWN TRACTORS

A lot of power under the bonnet. Many areas of use. And first class collecting ability. Our lawn tractors are equipped with double cutting systems for the best cutting results. Perfect for those with large areas to work.

High capacity

The lawn tractors are recommended for large areas. With up to 122 cm cutting width and engines designed for hard work, the job flies by. Conveniences such as hydrostatic transmission and 4WD make them even more versatile.

Unbeatable collecting capacity

Our lawn tractors with integrated collector provide massive collecting capacity up to 320 litres. Emptying is performed easily from the driving seat.

One machine – many functions

Multiclip works just as well on autumn leaves as on grass. Use the collector to prevent having to rake. Attach the snow blade and clear the drive during the winter. Think how lovely it could be not to have to clear it by hand!

Up to four cutting systems in one

Collection. Multiclip. Rear discharge. Side discharge. By choosing one or another you always get a great cutting result, even if the grass appears to be too long.

Easy to use

Sit comfortably. Start and steer. Engage the cutting deck. Drive to the compost heap and empty – without having to leave the driver's seat. With Royal and Grand Royal enjoy the added comfort of a cruise control.

More about our lawn tractors

See the entire product program including implements and technical specifications on our website.

www.stigalawnmowers.co.uk

ESTATE

Stiga Estate is still alone in offering four cutting systems in one. The new steering system assures precise manoeuvrability of the wheels and outstanding driving comfort. The collecting capacity of 320 litres cannot be beaten either. For safety, we have ensured that you can empty the collector directly from the driver's seat. The idea is to make it as easy as possible.

Easy to clean.

Clear and durable instrument panel.

Practical storage.

Comfortable seat with armrests

Instrument panel
Easy-to-view and intuitive.

Cruise control

Emptying lever
Easy to empty without leaving the driver's seat.

Extra reinforced front axle

Headlight
Integrated headlight.

Collector
For up to 320 litres of cuttings or leaves.

Hydraulic transmission

Scalping guard
Wheels that protect the deck on uneven ground.

Collection tunnel
Now even straighter and wider for optimum collection.

Combi deck
Specially developed hybrid blades make it easy to switch between Multiclip and rear discharge.

Double steering bars

Easy to empty straight from driver's seat.

Brand new cruise control system helps maintain steady speed whether up hill or down, improving driving comfort, fighting fatigue.

Deck lift lever

Drinks holder

LED display

Estate Grand Royal 22

Estate Tornado 14

Estate Royal 19

Estate Grand Tornado HST

Estate Master HST

Estate Senator

Most suitable for:

Stiga Estate

Efficient and effective lawn tractor for those who prioritise collection. Unbeatable when it comes to technology, capacity and cutting quality. For all-year-round use thanks to the sweeper and snow blade (optional). Excellent on large areas. Choose between hydrostatic and manual transmission.

	Estate Grand Royal 22	Estate Royal 19	Estate Senator 17 HST	Estate Master HST	Estate Master	Estate Grand Tornado HST	Estate Tornado 14
Engine:	Briggs & Stratton Intek series 7220 V-Twin	Briggs & Stratton Intek series 4185 AVS	Briggs & Stratton PowerBuilt 4165 AVS	Briggs & Stratton PowerBuilt 3130 AVS	Briggs & Stratton PowerBuilt 3130 AVS	Briggs & Stratton PowerBuilt 4185 AVS	Briggs & Stratton PowerBuilt 3130 AVS
Transmission:	Hydrostatic	Hydrostatic	Hydrostatic	Hydrostatic	Manual 5F + 1R	Hydrostatic	Manual 5F+1R
Cutting height adjustment:	7 position 30-90 mm	7 position 30-90 mm	7 position 25-80 mm	7 position 25-80 mm	7 position 25-80 mm	7 position 25-80 mm	7 position 25-80 mm
Cutting deck width	122 cm/rear discharge	102 cm/rear discharge	92 cm/rear discharge	84 cm/rear discharge	84 cm/rear discharge	108 cm/side discharge	98 cm/side discharge
Grass collector:	320 litres	320 litres	260 litres	240 litres	240 litres		

GARDEN

The smaller lawn tractor model for those who love their garden but have limited space. Excellent design, great collecting capacity and integrated mulching function just as on the larger lawn tractors. With hydrostatic or variable transmission for smoother operation.

Easy to operate. Choose between hydrostatic or variable transmissions.

Integrated collection 140-170 litres. Easy to empty from the driver's seat.

Garden Compact E HST B

Garden Combi HST

	Garden Combi HST 14	***Garden Compact E HST B***	***Garden SR 63 EV***
Engine:	*Briggs & Stratton PowerBuilt Series 3130 AVS electric start*	*Briggs & Stratton 950 Series electric start*	*Stiga Series 5500 electric start*
Transmission:	*Hydrostatic*	*Hydrostatic*	*Varispeed*
Cutting height adjustment:	*7 position, 25-80mm*	*6 position, 30-80mm*	*5 position, 30-75mm*
Cutting deck width:	*72 cm/rear discharge*	*66 cm/rear discharge*	*63 cm/rear discharge*
Grass collector:	*170 litres*	*150 litres*	*140 litres*

LAWN MOWERS

The modern way of cutting your lawn. Based on the Multiclip principle, which means that you can mow and fertilise at the same time. You don't need to rake and remove waste. The result is a dense and beautiful lawn with minimal effort.



Noise damping

Thanks to the specially designed blades and the chassis design, the noise is directed towards the ground, which produces a lower and more comfortable noise level.

Up to four cutting techniques in combination

Multiclip technology is included as standard on all our lawn mowers. The Turbo models also have collectors, plus rear and/or side discharge, which can be good for long grass.

Better result

The blades of grass are finely cut and sink down among the grass roots. There they quickly mulch down and are transformed into the most natural organic nutrients a lawn can get.

Easy handling

With Multiclip you only need to go over the lawn once. The cuttings turn into mulch. The same thing can be done with leaves in the autumn – magic them away with a few clippings.

Less work

By eliminating collection and disposal of grass clippings, you get the job done in about 70% of the time. The finely cut clippings form a thin, moisture rich layer in the lawn and supply the grass roots with moisture. This means more time can pass between waterings.

Better for the environment

Fuel consumption and emissions are reduced by about 30% – good for the wallet and planet.

Why are some lawns greener than others?

See the entire product program including implements and technical specifications on our website.

www.stigalawnmowers.co.uk

MULTICLIP

Robust. Solid. Efficient. Does just the one job – but does it really well. With an aluminium or steel chassis that withstands knocks and rust and specially designed blades which produce a more comfortable noise level. Central cutting height adjustment, Ready start and ergonomic handle come as standard. The Pro-models have new, softer wheels for better grip and some models are equipped with our anti-vibration system AVS, which helps protect the body during prolonged use.

Handle with height and lateral adjustment. Great when you want to get under hedges and bushes or close to facades and fences.

Quick and easy adjustment of the cutting height. Raise and lower the entire cutting height with only one grip.

Good ergonomics. Anti-vibration handle for optimum comfort. Safety grip means that the blades automatically stop if the user loses control.

Multiclip Pro 53 S Svan

Multiclip Pro 50 S Svan

Multiclip Rental 50S

	Multiclip Pro 53 S Svan	***Multiclip Pro 50 4S Inox Svan***	***Multiclip Pro 50 Svan***
Engine:	*Honda GCV 160 OHC Autochoke*	*Honda GCV 160 OHC Autochoke*	*Honda GCV 160 OHC Autochoke*
Propulsion:	*Self-propelled*	*Self-propelled, 4 speed*	*Hand propelled*
Anti-vibration:	*Yes*	*Yes*	*Yes*
Chassis:	*Aluminium*	*Stainless steel*	*Galvanized steel*
Cutting width:	*51 cm*	*48 cm*	*48 cm*
Cutting height adjustment:	*5 pos. 30-65 mm*	*5 pos. 31-75 mm*	*5 pos. 31-75 mm*
Weight incl. pack:	*39 kg*	*40 kg*	*38 kg*

	Multiclip 50 S Rental	***Multiclip 50 S***	***Multiclip 50***
Engine:	*Stiga SA55 OHV*	*Stiga SA45 OHV*	*Stiga SA45 OHV*
Propulsion:	*Self-propelled*	*Self-propelled*	*Hand propelled*
Anti-vibration:	*Yes*	*-*	*-*
Chassis:	*Galvanized steel*	*Steel*	*Steel*
Cutting width:	*48 cm*	*48 cm*	*48 cm*
Cutting height adjustment:	*5 pos. 31-75 mm*	*5 pos. 31-75 mm*	*5 pos. 31-75 mm*
Weight incl. pack:	*40 kg*	*36 kg*	*34 kg*

Meets the criteria of the official Nordic Svan eco-label, which is considered one of the world's toughest environmental labels.

EXCEL

Best in class with four cutting systems and one of the market's largest capacity collectors. Designed for maximum efficiency and comfort in the most varied conditions. Note features such as anti-vibration handlebar (AVS), which makes the job easy on the body, and blade brake clutch (BBC), which allows you to stop the blades with the engine running, for example to cross gravel paths.

Blade Brake Clutch
In normal cases the engine stops when the handle is released, but with the blade brake clutch (BBC) only the rotation of the blade is stopped.

Anti-Vibration System (AVS)
Prevents vibrations to transmit from engine to handle, making the work more pleasant for the body.

Cleaning
Hose connector for simple tidying under the hood.

Collector
The lawn is completely clear of grass clippings. Cutting and collection occurs in one step. Collects up to 75 litres.

Quiet and powerful engine
Select an engine to suit your needs.

4 in 1 cutting system
The options are considerable due to the four different cutting methods in the same machine. The four different cutting functions are – Multiclip, collection, side discharge or rear discharge.

Better grip
The rear wheels are slightly larger for better grip and balance.

Most suitable for:

Stiga Excel

For long and arduous use. Robust design. Powerful, energy efficient engines. With four cutting methods in one for optimum cutting result.

You can collect both grass and leaves.

One simple hand control is used to select which cutting method is best for your lawn.

Six different cutting heights at the push of a button.

Excel 55 SQ H BBC

Excel 50 SQ B

	Excel 55 SQ H BBC	Excel 50 SQ B
Engine:	Honda GCV 190 Autochoke	Briggs & Stratton 675 series XVS Ready start
Propulsion:	Self-propelled	Self-propelled
Anti-vibration:	Yes	Yes
Chassis:	Galvanized steel	Galvanized steel
Cutting width:	53 cm	48 cm
Cutting height adjustment:	6 pos. 22-95 mm	6 pos. 22-95 mm
Cutting system:	4 in 1	4 in 1
Collection volume:	75 litres	75 litres
Weight incl. pack:	56.7 kg	50.4 kg

TURBO & COMBI

Turbo, the best choice if you want to “vacuum” the lawn of cuttings. Stiga’s cutting Multiclip technology in combination with rear discharge and collection gives the best possible mowing result. Combi, built for smaller gardens. Collector vacuums the lawn of grass transforming to Multiclip when the grass needs nurturing.

Turbo Pro 55 4S

Turbo Power 53 SB

Turbo Power 50 SB

	Turbo Pro 55 4S	***Turbo Power 53 S B***	***Turbo Power 50 SB***
Engine:	*Honda GCV 190 OHC Autochoke*	*Briggs & Stratton 675 series XVS Ready start*	*Briggs & Stratton 575 EX series Ready start*
Propulsion:	*Self-propelled*	*Self-propelled*	*Self-propelled*
Anti-vibration:	*Yes*		
Chassis:	*Aluminium*	*Aluminium*	*Aluminium*
Cutting width:	*53 cm*	*51 cm*	*48 cm*
Cutting height adjustment:	*9 pos. 30-80 mm*	*7 pos. 30-80 mm*	*6 pos. 30-80 mm*
Collection volume:	*70 litres*	*70 litres*	*70 litres*
Weight incl. pack:	*44 kg*	*46.5 kg*	*40.1 kg*

Combi 53 SQ BWB

Combi 48 SB

Combi 48 B

	Combi 53 SQ BWB	***Combi 48 SB***	***Combi 48 B***
Engine:	*Briggs & Stratton 625 Series XVS*	*Briggs & Stratton 550 Series*	*Briggs & Stratton 550 E Series*
Propulsion:	*Self-propelled*	*Self-propelled*	*Hand-propelled*
Chassis:	*Steel*	*Steel*	*Steel*
Cutting width:	*51 cm*	*46 cm*	*46 cm*
Cutting height adjustment:	*6 pos. 25-90 mm*	*5 pos. 27-80 mm*	*5 pos. 27-80 mm*
Collection volume:	*60 litres*	*60 litres*	*60 litres*
Weight incl. pack:	*42 kg*	*31 kg*	*33 kg*

HAND HELDS

A range of power tools for all-round use. Made to keep the garden clean and tidy. The common denominator is that they sit well in the hand and are easy to use.

Efficient tools

Does its job – and does it well. Whether it is airing grass roots, loosening up the soil, turning garden waste into peat or just keeping the garden clean and tidy.

Easy-to-handle

Ergonomics is, as we see it, when you customize the tool for the person and not the other way around. Therefore, we make sure that you always have a good grip, that all control functions are easily accessible and there is the possibility of relief using harnesses etc.

Well balanced

The relationship between weight and engine power is important. You know when you grab the chainsaw that it is correctly balanced. Grass trimmers and brush cutters have harnesses that relieve the load from the body. The blower pistol grip makes it easy to direct air flow where you want it. The hedge trimmer is designed to reach the top of high hedges.

Powerful

In golf they say that the club should do the work. Here the muscles are in the engine. Each machine is designed to follow the person's natural patterns of motion, so that the job can be done with the minimum of effort.

How to get more done in the garden – with less strain!

See the entire product program including implements and technical specifications on our website.

www.stigalawnmowers.co.uk

BRUSH CUTTERS

Easy to handle with double handle or loop handle. Well balanced and comfy, even during prolonged work. All our trimmers have a tap'n'go function, which feeds the line out automatically when you push the trimmer head towards the ground. Brush cutters have three or four toothed blades to clear brushwood and coarse bush. The four-strokes combine low weight and low vibrations with low fuel consumption and good efficiency, great from an environmental view. Harness included as standard on all brush cutters.

SB 43 DS **SB 425H** **SB 53D**

	SBK 27 2 STROKE	**SBK 27 D** 2 STROKE	**SBK 35 D** 2 STROKE
Cylinder volume/output:	26.3 cc (0.77 kW)	26.3 cc (0.77 kW)	34.4 cc (1.03 kW)
Harness:	Single	Double	Double
Handle:	Loop	Double	Double
Shaft:	26 mm	26 mm	26 mm
Trimmer head:	Tap & Go	Tap & Go	Tap & Go
Blade:	Tri-arc star	Tri-arc star	Tri-arc star
Weight with nylon head:	6.3 kg	6.9 kg	7.9 kg

	SB 425 H / SB 425 HD 4 STROKE	**SBK 45 D** 2 STROKE	**SBK 53 D** 2 STROKE
Cylinder volume/output:	25 cc (0.80 kW)	45.4cc (1.4 kW)	53.2cc (2.0 kW)
Harness:	Single	Double	Double
Handle:	Loop/double	Double	Double
Shaft:	26 mm	28 mm	28 mm
Trimmer head:	Tap & Go	Tap & Go	Tap & Go
Blade:	3 toothed	Tri-arc star professional	Tri-arc star professional
Weight with nylon head:	7.2 / 7.9 kg	9.3 kg	9.9 kg

Our "Easy start" system makes the pulling operations smoother, allowing you to reduce the recoil pulling force.

By admitting fresh air during combustion we save fuel and increase the service life time and performance of the engine.

Easy Start makes it really easy to start the machine.

Double handlebar or loop handle. Choose the most comfortable.

Neat edges. Easy to hold along borders between grass and gravel, stones and flowerbeds.

HEDGE TRIMMERS

Our goal is for you to be able to work safely, quickly and easily. Double or rotating handle gives an ergonomic work position. Double sided blade increases efficiency and range. Effective vibration damper reduces the load on arms and hands. The two-stroke engine can be held upside down, which gives a longer reach.

SHM 170

SHJ 550

	SHM 180	**SHM 170**	**SHP 60**
Power source:	2 stroke mix	2 stroke mix	2 stroke mix
Cylinder volume:	25.4 cc	25.4 cc	24.5 cc
Output:	0.80 kW, 1.09 hp	0.80 kW, 1.09 hp	0.85 kW, 1.16 hp
Anti-vibration:	No	Yes	Yes
Blade type:	Single laser cut	Double laser cut	Double laser cut
Blade length:	75 cm	60 cm	61 cm
Tooth distance:	28 mm	28 mm	28 mm
Adjustable handle:	No	Yes, 5 positions	Yes, 3 positions
Weight:	5.4 kg	5.7 kg	5.5 kg

CULTIVATOR & SILEX GARDEN TRACTOR

Versatile and useful tools that save a lot of effort in the garden plot. Use the Cultivator or Silex with the cultivator attachment to loosen soil and prepare the ground before sowing crops and save your back. Or fit one of the other attachments to the Silex so that it can be used to cut grass, clear snow, dig potatoes or sweep paths.

SRC 36G Cultivator

Silex 95H

	SRC 36 G Cultivator
Engine:	*Stiga RSCT 100*
Working width:	*36 cm*
Rotors / No:	*245 mm in height / 4*
Transport wheels:	*Single front*
Weight with pack:	*27 kg*

	Silex 95H
Engine:	*Honda GCV160*
Working width:	*36 cm*
Transmission:	*Worm gear oil bath + drive belt*
Gears:	*1F + 1R*
Weight with pack:	*55 kg*

This type of power unit is known as a two wheel tractor and is ideal for a variety of year round gardening tasks. The powerful Honda engine drives two traction wheels and a power take off system. Fitting an attachment to the tractor is easy and only takes a few minutes. From cutting grass to clearing snow this versatile system is a favourite with many gardeners.

Implements for Silex 95H

Front brush 82 cm with collector

Grassland mower 53 cm

Double blade scythe cutting bar 87 cm.

Snow blade 85 cm

Cultivator attachment

Ridging plough



Front brush 105 cm

Front mowers
PARK

	PRO 25 4WD	PRO 21 4WD (NEW!)	PRO 16 4WD	RESIDENCE 4WD	ROYAL 4WD	RANGER HST SVAN	PLUS
Engine							
Engine manufacturer	Honda	Briggs & Stratton	Briggs & Stratton	Briggs & Stratton	Honda	Honda	Briggs & Stratton
Engine type	GXV660	Vanguard 21	Vanguard 16	Powerbuilt 4155 AVS	GCV 530	GCV 530	Intek 4185
Cylinders/kW	2/15.2	2/14.7	2/9.4	1/10	2/10.9	2/10.9	1/9.9
Electric starter	X	X	X	X	X	X	X
Fuel tank, litres	14	14	14	12	12	12	12
Transmission							
Four wheel drive	X	X	X	X	X		
Rear wheel drive						X	X
Hydrostatic transmission	KTM10	KTM10	KTM10	KTM7	KTM7	KTM7	K46
Max. driving speed, km/h	11	11	11	10	10	10	10
Axle diameter, front	1"	1"	1"	1"	1"	20 mm	20 mm
Axle diameter, rear	1"	1"	1"	3/4"	3/4"	3/4"	3/4"
Tyre size	17" wide	17" wide	17" wide	16" wide	16" wide	16" wide	16" wide
Tyre tread	Stiga special	Stiga special	Stiga special	Stiga special	Stiga special	Stiga special	Stiga special
Steering							
Genuine articulated steering	X	X	X	X	X	X	X
Power assisted steering	Hydraulic	Hydraulic	Hydraulic	Hydraulic	Hydraulic	Hydraulic	Mechanical
Steering link	Chain/Chain	Chain/Chain	Chain/Chain	Chain/Chain	Chain/Chain	Chain/Chain	Chain/Chain
Steering ball	X	X	X	X	X	X	X
Dimensions							
Cutting deck width†, cm	95-125	95-125	95-125	95-110	95-110	95-110	95-110
Length x Width	255 x 135 cm	255 x 135 cm	255 x 135 cm	245 x 130 cm	245 x 130 cm	245 x 130 cm	230 x 100 cm
Electric cutting height adjustment	X	X	X	X	X	X	X
Foot operated deck lift			X	X	X	X	X
Hydraulic tool lift	X	X					
Comfort							
Prepared for cruise control	X**	X**	X**				
Hour meter	X	X	X	X	X	X	X
Lighting	LED	LED	LED	LED	LED	LED	LED
Adjustable steering wheel	X	X	X	X	X	X	X
Folding comfort seat with drainage	Extra high	Extra high	Extra high	High	High	High	High
Armrest	X	X					
Seat adjustment	Single lever control	Single lever control	Single lever control	Single lever control	Single lever control	Single lever control	Single lever control
Pivot seat suspension				X	X	X	X
Parallel seat suspension	X	X	X				
Cup holder	X	X	X	X	X	X	X
Environment							
Certified in accordance with Svan					X	X	
CE marked	X	X	X	X	X	X	X
Soundpower level, dB (A)*	<100	<100	<100	<100	<100	<100	<100
Miscellaneous							
Weight, kg	245	245	236	218	218	194	192
Rear accessory wiring	X	X	X				
Main switch	X**	X**	X**				
Item no.	13-6276-11	13-6270-11	13-6271-17	13-6378-11	13-6312-11	13-6379-11	13-6311-11

Front mowers
PARK

	COMPACT 16 4WD	COMPACT 16 HST	COMPACT 14 HST
Engine			
Engine manufacturer	Briggs & Stratton	Briggs & Stratton	Briggs & Stratton
Engine type	PowerBuilt 4155 AVS	PowerBuilt 4155 AVS	PowerBuilt 3130 AVS
Cylinders/kW	1/10.0	1/10.0	1/7.5
Electric starter	X	X	X
Fuel tank, litres	6	6	6
Transmission			
Four wheel drive	X		
Rear wheel drive		X	X
Hydrostatic transmission	KTM7	K46	K46
Max. driving speed, km/h	9	9	9
Axle diameter, front	1"	3/4"	3/4"
Axle diameter, rear	3/4"	3/4"	3/4"
Tyre size	16" wide	16" wide	16" wide
Tyre tread	Stiga special	Stiga special	Stiga special
Steering			
Genuine articulated steering	X	X	X
Power assisted steering	Mechanical	Mechanical	Mechanical
Steering link	Chain/Wire	Chain/Wire	Chain/Wire
Steering ball			
Dimensions			
Cutting deck width†, cm	95/105	95/105	95/105
Length x Width	202 x 92 cm	230 x 100 cm	230 x 100 cm
Electric cutting height adjustment			
Foot operated deck lift	X	X	X
Hydraulic tool lift			
Comfort			
Prepared for cruise control			
Hour meter			
Lighting			
Adjustable steering wheel			
Folding comfort seat with drainage	High	High	High
Armrest			
Seat adjustment	X	X	X
Pivot seat suspension	X	X	X
Parallel seat suspension			
Cup holder			
Environment			
Certified in accordance with Svan			
CE marked	X	X	X
Soundpower level, dB (A)*	<100	<100	<100
Miscellaneous			
Weight, kg	195	172	167
Rear accessory wiring			
Main switch			
Item no.	13-6104-21	13-6103-22	13-6102-22

† Dependent on cutter deck selected

* May be lower depending on chosen cutting deck.

** Option

NOTE! All products may not be available in all markets. Please check with your dealer. Stiga has a policy of continuous improvement and reserves the right to change models and specifications without prior notice. E&OE.

Electric Front mower
PARK

	PARK MIRAGE 5.0
Power source	
Power	4 AGM deep cycle lead batteries
Output	48 V
Cutting motor	Electric, 5 kW
Transmission	
Electric transaxle	X
Rear wheel drive	X
Max. driving speed, km/h	10
Tyre size	16x7.50-8
Steering	
Genuine articulated steering	X
Power assisted steering	Mechanical
Steering link	Chain/chain
Dimensions	
Cutting width, cm	95
Length x Width	245 x 100 cm
Electric cutting height adjustment	X
Foot operated deck lift	X
Comfort	
Control display mounted in steering wheel	X
Hour meter, integrated in control display	X
Adjustable drive pedal	X
Folding comfort seat with drainage	High
Seat adjustment	X
Environment	
Soundpower level, dB (A)	96
Miscellaneous	
CE marked	X
Battery charger	X
Weight, kg	345
Item no.	13-6090-13

Front mowers
VILLA

	VILLA SQ 16 HST	VILLA 14 HST	VILLA 12	NEW! VILLA 520 HST	NEW! VILLA 320 HST
Engine					
Engine manufacturer	Honda	Briggs & Stratton	Briggs & Stratton	Briggs & Stratton	Stiga
Engine type	GXV 390	PowerBuilt 3130 AVS	PowerBuilt 3115 AVS	PowerBuilt 3115 AVS	WM 7250 Series
Cylinders/kW	1/7.4	1/7.5	1/7.3	1/7.3	1/7.1
Electric starter	X	X	X	X	X
Fuel tank, litres	3.8	3.8	3.8	4.3	4.3
Transmission					
Front wheel drive	X	X	X		
Rear wheel drive				X	X
Manual transmission/no. of gears			5F+1R		
Hydrostatic transmission	X	X		X	X
Max. driving speed, km/h	9	9	9	9	9
Axle diameter, front	3/4"	3/4"	3/4"		
Tyre size, front	16"	16"	16"	15"	15"
Tyre size, rear	13"	13"	13"	15"	15"
Steering					
Rear wheel steering	X	X	X	X	X
Steering link	Wire/wire	Wire/wire	Wire/wire	Wire/wire	Wire/wire
Steering ball	X	X			
Dimensions					
Cutting deck width†, cm	85-105	85/95	85	90	78
Manual cutting height adjustment		X	X		X
Electric cutting height adjustment	X			X	
Foot operated deck lift	X	X	X		
Comfort					
Adjustable steering wheel	X	X			
Folding comfort seat with drainage	High	High	X		
Seat adjustment	X	X	X	X	X
Progressive seat suspension	X	X	X		
Environment					
CE marked	X	X	X	X	X
Soundpower level, dB (A)*	<100	<100	<100	<100	<100
Miscellaneous					
Weight, kg	171	171	168	167	167
Item no.	13-2728-14	13-2718-14	13-2717-15	13-5721-21	13-5711-11

† Dependent on cutter deck selected

* May be lower depending on chosen cutting deck.
NOTE! All products may not be available in all markets. Please check with your dealer.
Stiga has a policy of continuous improvement and reserves the right to change models and specifications without prior notice. E&OE.

Cutting decks
PARK/VILLA

	125 COMBI PRO	110 COMBI PRO	100 COMBI 3	105 COMBI	95 COMBI	85 COMBI
Multiclip	X	X	X	X	X	X
Rear discharge	X	X	X	X	X	X
Cutting height, mm	25-90	25-90	25-85	25-85	25-85	25-85
Cutting height, setting	Manual/Electric	Manual/Electric	Manual/Electric	Manual/Electric	Manual/Electric	Manual
Adjustable angle	X	X	X	X	X	X
Freely rotating blades	X	X	X			
Synchronised blades				X	X	X
Blade tips with shear bolts				X	X	X
Pivot wheels	X	X	X			
Protective tubular steel frame	X	X	X			
Park	X	X	X	X	X	
Villa				X	X	X
Item no. Park (manual)	13-2938-43	13-2931-44	13-2977-31	13-2972-34	13-2964-34	
Item no. Park (electric)	13-2941-43	13-2932-44	13-2978-31	13-2974-34	13-2967-34	
Item no. Villa (manual)				13-2970-14	13-2963-14	13-2960-14
Item no. Villa (electric)				13-2970-04	13-2965-14	

Lawn tractors
ESTATE

	GRAND ROYAL 22	ROYAL 19	SENATOR 17 HST	MASTER HST	MASTER	NEW! GRAND TORNADO HST	TORNADO 14
Engine							
Engine manufacturer	Briggs & Stratton	Briggs & Stratton	Briggs & Stratton	Briggs & Stratton	Briggs & Stratton	Briggs & Stratton	Briggs & Stratton
Engine type	Intek 7220	Intek 4185 AVS	Power Built 4165 AVS	Power Built 3130 AVS	Power Built 3130 AVS	Power Built 4185 AVS	Power Built 3130 AVS
Cylinders/kW	2/11.9	1/8.6	1/8.9	1/6.3	1/6.3	1/9.3	1/6.8
Electric starter	X	X	X	X	X	X	X
Fuel tank, litres	7	6	6	6	6	6	6
Transmission							
Four wheel drive							
Rear wheel drive	X	X	X	X	X	X	X
Manual transmission/no. of gears					5F+1R		5F+1R
Hydrostatic transmission	X	X	X	X		X	
Max. driving speed, km/h	8.8	8.8	8.8	8.8	9.7	9.7	9.7
Tyres front	15"	15"	15"	15"	15"	15"	15"
Tyres rear	18"	18"	18"	18"	18"	18"	18"
Dimensions							
Cutting deck width, cm	122	102	92	84	84	108	98
Number of cutting heights	7	7	7	7	7	7	7
Cutting height interval, mm	30-90	30-90	25-80	25-80	25-80	25-80	25-80
Equipment							
Cruise control	X	X					
Grass collector	X	X	X	X	X		
Collector volume, litres	320	320	260	240	240		
Mulching kit	X	X	X	X	X	X	X
Discharge	Rear	Rear	Rear	Rear	Rear	Side	Side
Tipping seat	X	X	X			X	X
Bumper	X	X		X	X	X	X
Electromagnetic blade clutch	X	X	X	X	X	X	X
Dashboard	6 LED and display	6 LED and display	6 LED	1 LED	1 LED		
Warning, collector full	X	X	X	X	X		
Electronic grass bag dump							
Lighting	X	X	X	X	X	X	X
Cup holder	X	X				X	X
Miscellaneous							
CE marked	X	X	X	X	X	X	X
Soundpower level, dB (A)	<105	<100	<100	<100	<100	<86.3	<100
Battery charger	X	X	X	X	X	X	X
Weight, kg	231	239	200	190	160	160	160
Item no.	2T1310281/11	2T0950281/11	2T0430281/10	2T2110281/12	2T2010281/12	2T1220281/11	2T0520281/11

Gross power rating is labeled in accordance with SAE J1940 - Small Engine Power and Torque Rating Procedure - and Gross performance values have been obtained and corrected in accordance with SAE J1995 Engine power test code - Gross Power rating. Net performance values have been obtained and corrected in accordance with SAE J1349 Engine Power Test Code – Net Power Rating. Actual gross and/or net engine powers will be lower and are affected by, among other things, ambient operating conditions and engine-to-engine variability. Given both the wide array of products on which engines are placed and the variety of environmental issues applicable to operating the equipment, the engine will not develop the rated gross and/or net powers when used in a given piece of power equipment. This difference is due to a variety of factors including, but not limited to, implements (air cleaner, exhaust, charging, cooling, carburetor, fuel pump, etc.), application limitations, ambient operating conditions (temperature, humidity, altitude), and engine-to-engine variability. GGP reserves the right at any time to change the product specifications, designs and standard equipment without notice and without incurring obligation.

NOTE! All products may not be available in all markets. Please check with your dealer. Stiga has a policy of continuous improvement and reserves the right to change models and specifications without prior notice. E&OE.

Lawn tractors
GARDEN

	COMBI HST 14	SR 63 EV	NEW! COMPACT E HST B
Engine			
Engine manufacturer	Briggs & Stratton	Stiga	Briggs & Stratton
Engine type	PowerBuilt 3130 AVS Electric start	Series 5500 ES OHV	950 Series ES
Cylinders/kW	1/6.8	1/3.21	1/3.06
Electric starter	X	X	X
Fuel tank, litres	4	3.8	3.8
Transmission			
Rear wheel drive	X	X	X
Manual transmission/no. of gears		Variator	
Hydrostatic transmission	X		X
Tyres front	11"	11"	13"
Tyres rear	15"	13"	15"
Dimensions			
Cutting deck width, cm	72	63	63
Number of cutting heights	7	5	6
Cutting height interval, mm	25-80	30-75	30-80
Equipment			
Grass collector	X	X	X
Collector volume, litres	170	140	150
Mulching kit	X	X	X
Discharge	Rear	Rear	Rear
Tipping seat	X	X	X
Seat with safety contact breaker	X	X	X
Dashboard	1 LED		
Blade brake	X	X	X
Parking brake	X	X	X
Headlights	X		
Miscellaneous			
CE marked	X	X	X
Soundpower level, dB (A)	<100	<98	<84.7
Battery charger	X	X	X
Weight, kg	168	168	103
Item no.	2T0220281/13	2T0030424/11	ST0070281/13

Lawn mowers
MULTICLIP

	PRO 53 S SVAN	***PRO 50 S4 INOX SVAN***	***PRO 50 SVAN***	***50***	***50 S***	***50 S RENTAL***
Engine						
Engine manufacturer	Honda	Honda	Honda	Stiga	Stiga	Stiga
Engine type	GCV 160 OHC with autochoke	GCV 160 OHC with autochoke	GCV 160 OHC with autochoke	SA 45 OHV	SA 45 OHV	SA 55 OHV
Cutting facts						
Multiclip	X	X	X	X	X	X
Cutting width, cm	51	48	48	48	48	48
Cutting height, setting	Central	Central	Central	4 levers	3 levers	Central
Cutting height, mm	30-65	31-75	31-75	31-75	31-75	31-75
Number of cutting heights	5	5	5	5	5	5
Comfort						
Propulsion	Self propelled	Self propelled, 4 speed	Hand propelled	Hand propelled	Self propelled	Self propelled
Electric starter						
Vibration damping	X	X	X			X
Handle with adjustable height	X	X	X			X
Handle with lateral adjustment	X	X	X			X
Folding handle	X	X	X	X	X	X
Carrying handle	X	X	X	X	X	X
Environment						
Certified in accordance with Svan	X	X	X			
Soundpower level, dB (A)	<93	<91	<91	<94	<94	<96
Powder coated	X		X	X	X	X
Miscellaneous						
Chassis	Aluminium	Stainless steel	Galvanized steel	Steel	Steel	Galvanised steel
Wheels	Aluminium	Aluminium	Aluminium	Composite	Composite	Composite
Wheel bearings	Professional double ball bearings	Professional double ball bearings	Professional double ball bearings	Double ball bearings	Double ball bearings	Double ball bearings
20 year chassis warranty*	X					
Weight incl. pack, kg	39	40	38	28	31	34
Item no.	293532038/ST9	291563038/S11	291501038/S11	291501044/ST9	291502044/ST9	291502141/ST9

* 20 year chassis warranty on all aluminium mowers means that the aluminium chassis will be replaced with a new chassis (or corresponding replacement at Stiga's discretion) if cracks.
NOTE! All products may not be available in all markets. Please check with your dealer.
Stiga has a policy of continuous improvement and reserves the right to change models and specifications without prior notice. E&OE.

Lawn mowers
COMBI

	COMBI 48 B	***COMBI 48 SB***	***COMBI 53 SQ BW B***
Engine			
Engine manufacturer	Briggs & Stratton	Briggs & Stratton	Briggs & Stratton
Engine type	550 E Series	550 E Series	675 Series XVS Ready Start
Cutting facts			
Multiclip	X	X	X
Collecting	X	X	X
Rear discharge	X	X	X
Side discharge			X
Cutting width, cm	46	46	51
Cutting height setting	Central	Central	Central
Cutting height, mm	27-80	27-80	25-90
Number of cutting heights	5	5	6
Comfort			
Propulsion	Hand propelled	Self propelled	Self Propelled
Electric starter			
Vibration damping			
Collector, litre/type	60 / Plastic & fabric	60 / Plastic & fabric	70 / Plastic & fabric
Handle with adjustable height	X	X	X
Folding handle	X	X	X
Environment			
Soundpower level, dB (A)	<96	<96	<98
Powder coated	X	X	X
Miscellaneous			
Chassis	Steel	Steel	Steel
Wheels	180/240mm	180/240mm	180/240mm
Wheel bearings	X	X	X
Weight, kg	31	33	42
Item no.	295485024/S12	295486024/S12	299536824/S12

Lawn mowers
EXCEL

	EXCEL 55 SQ H BBC	***EXCEL 50 SQ B***	
Engine			
Engine manufacturer	Honda	Briggs & Stratton	
Engine type	GCV 190 with autochoke	675 XVS Ready start	
Cutting facts			
Multiclip	X	X	
Collecting	X	X	
Rear discharge	X	X	
Side discharge	X	X	
Blade brake clutch	X		
Cutting width, cm	53	48	
Cutting height setting	Central	Central	
Cutting height, mm	22-95	22-95	
Number of cutting heights	6	6	
Comfort			
Propulsion	Self propelled	Self Propelled	
Electric starter			
Vibration damping			
Collector, litre/type	75 / Plastic and fabric	75 / Plastic and fabric	
Handle with adjustable height	X	X	
Folding handle	X	X	
Environment			
Soundpower level, dB (A)	<98	<96	
Powder coated	X	X	
Miscellaneous			
Chassis	Galvanized steel	Galvanized steel	
Wheels	Composite wide pattern	Composite wide pattern	
Wheel bearings	X	X	
Weight incl. pack, kg	56.7	50.4	
Item no.	290558031/S10	290506021/S11	

* 20 year chassis guarantee on all aluminium mowers means that the aluminium chassis will be replaced with a new chassis (or corresponding replacement at Stiga's discretion) if cracks.
NOTE! All products may not be available in all markets. Please check with your dealer.
Stiga has a policy of continuous improvement and reserves the right to change models and specifications without prior notice. E&OE.

Lawn mowers
TURBO

	TURBO PRO 55 4S	***TURBO POWER 50 SB***	***TURBO POWER 53 SB***
Engine			
Engine manufacturer	Honda	Briggs & Stratton	Briggs & Stratton
Engine type	GCV 190 OHC with autochoke	575 EX Series Ready start	675 Series XVS Ready start
Cutting facts			
Multiclip	X	X	X
Collecting	X	X	X
Rear discharge		X	X
Side discharge			
Blade brake clutch			
Cutting width, cm	53	48	51
Cutting height setting	Central	Central	Central
Cutting height, mm	30-80	30-80	30-80
Number of cutting heights	9	6	7
Comfort			
Propulsion	Self propelled	Self propelled	Self propelled
Vibration damping	X		
Collector, litre/type	70 / Plastic and fabric	70 / Plastic and fabric	70 / Plastic and fabric
Handle with adjustable height	X	X	X
Folding handle	X	X	X
Environment			
Soundpower level, dB (A)	<98	<96	<98
Powder coated	X	X	X
Miscellaneous			
Chassis	Aluminium	Aluminium	Aluminium
Wheels	Aluminium	Composite	Composite
Wheel bearings	Professional double ball bearings	Professional double ball bearings	Professional double ball bearings
20 year chassis guarantee*	X	X	X
Weight incl. pack, kg	44	40	47
Item no.	292553038/S10	295506021/S12	292166021/ST12

Hand helds

BRUSH CUTTERS & GRASS TRIMMERS

	SB 425 H	*SB 425 HD*	*SBK 27*	*SBK 27 D*	*SBK 35 D*	*SBK 45 D*	*SBK 53 D*
Power source	4-stroke petrol	4-stroke petrol	2 stroke mix	2 stroke mix	2 stroke mix	2 stroke mix	2 stroke mix
Cylinder volume, cc	25	25	26.3	26.3	34.4	45.4	53.2
Output (kW/hp)	0.80/1.10	0.80/1.10	0.77/1.0	0.77/1.0	1.03/1.4	1.4/1.9	2.0/2.7
2 line Tap & Go	X	X	X	X	X	X	X
Cutting width, cm	43	43	43	43	43	43	43
Standard blade	3 toothed	3 toothed					
Tri-Arc blade			X	X	X	X	X
Pro Saw blade						X	X
Shaft, mm	26	26	26	26	26	28	28
Anti-vibration shaft	X	X	X	X	X	X	X
Harness	Single	Single	Single	Double	Double	Double Comfort	Double Comfort
Weight with nylon head, kg	7.2	7.9	6.3	6.9	7.6	9.3	9.9
Item no.	281240002/08	281241002/08	288120002/13	288121002/13	288221002/13	288321002/13	288421002/13

HEDGE TRIMMERS

	SHM 180	*SHM 170*	*SHM 60*
Power source	2-stroke mix	2-stroke mix	2-stroke mix
Cylinder volume, cc	25.4	25.4	24.5
Output	0.80 kW / 1.09 hp	0.80 kW / 1.09 hp	0.85 kW / 1.16 hp
Blade length, cm	75	60	61
Max branch diameter, mm	28	28	28
Laser cut	X	X	X
Vibration-damped handle		X	X
Adjustable handle		5 positions	3 positions
Weight	5.4 kg	5.7 kg	5.5 kg
Item no.	251475002/09	251460002/09	252961002/12

* 20 year chassis guarantee on all aluminium mowers means that the aluminium chassis will be replaced with a new chassis (or corresponding replacement at Stiga's discretion) if cracks.
NOTE! All products may not be available in all markets. Please check with your dealer.
Stiga has a policy of continuous improvement and reserves the right to change models and specifications without prior notice. E&OE.

Garden Care

SILEX GARDEN TRACTOR

	SILEX 95 H
Engine manufacturer	Honda
Engine type	GCV 160
Transmission	1F+1R
Adjustable handle	In height and reversible
Transport wheels	Pneumatic drive wheels
Weight incl. pack, kg	55
Item no.	219510032/10

GARDEN CULTIVATOR

	SRC 36G
Engine manufacturer	Stiga
Engine type	RSCT 100
Working width, cm	36
Rotors / No.	245mm in height / 4
Transport wheels	Single front
Weight incl. pack, kg	27
Item no.	211360042/13

Dealer:

GGP UK Limited
Unit 8 Bluewater Estate
Bell Close, Plympton
Plymouth. PL7 4JH
www.stigalawnmowers.co.uk

E&OE